


TEST REPORT

Issued to:



J.O. No.: FL/FA/15072023-066
ULR Code: TC5503 23 0 00041603 F
Report Date: 20/07/2023
Sample Receipt Date: 15/07/2023
Account Manager: BD Team 1
Credit Manager: Gulab/Septesh

Customer Provided Information:

Nature/Name of the Sample
Brand Name, if any
Batch No.

: Apples
: None
: None

Laboratory Provided Information:

Sample Quantity
Date of Performance of Test
Method of Sampling
Sample Picked by

: 1X890g, Polypack
: 15th - 20th July, 2023
: FL/SOP/B/D-03
: Mr. Saurabh (FARE Labs Representative)



Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:				
1	2,4-D	BLQ, [LOQ-0.01]	NMT 2	FL/SOP/LCMS/P-02
2	2,4-DDD	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
3	2,4-DDE	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
4	2,4-DDT	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
5	4-bromo-2-chlorophenol	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
6	4,4-DDD	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
7	4,4-DDE	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
8	4,4-DDT	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
9	Abamectin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
10	Acephate	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
11	Acetamiprid	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
12	Alachlor	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
13	Allethrin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
14	Alpha-endosulphan	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
15	Atrazine	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
16	Alpha HCH	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
17	Azoxystrobin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
18	Benalaxyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02

BLQ=Below Limit of Quantification; LOQ=Limit of Quantification; NMT=Not More Than

Reviewed By

Page 1 of 9


Authorized Signatory
D Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227. The Sample is not drawn by FARE Labs.

#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to:



J.O. No.: FL/FA/15072023-066
ULR Code: TC5503 23 0 00041603 F
Report Date: 20/07/2023
Sample Receipt Date: 15/07/2023
Account Manager: BD Team 1
Credit Manager: Gulab/Septesh

Customer Provided Information:

Nature/Name of the Sample
Brand Name, if any
Batch No.

: Apples
: None
: None

Laboratory Provided Information:

Sample Quantity
Date of Performance of Test
Method of Sampling
Sample Picked by

: 1X890g, Polypack
: 15th - 20th July, 2023
: FL/SOP/B/D-03
: Mr. Saurabh (FARE Labs Representative)



Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:				
19	Bendiocarb	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
20	Benfuracarb	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
21	Benomyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
22	Beta-Cyfluthrin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
23	Beta-HCH	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
24	Beta-endosulphan	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
25	Bifenazate	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
26	Bifenthrin	BLQ, [LOQ-0.01]	NMT 0.5	FL/SOP/GCMS/P-02
27	Bitertanol	BLQ, [LOQ-0.01]	NMT 0.4	FL/SOP/LCMS/P-02
28	Buprofezin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
29	Butachlor	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
30	Captafol	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
31	Captan	BLQ, [LOQ-0.01]	NMT 15	FL/SOP/GCMS/P-02
32	Carbaryl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
33	Carbendazim	BLQ, [LOQ-0.01]	NMT 5	FL/SOP/LCMS/P-02
34	Carbofuran	BLQ, [LOQ-0.01]	NMT 0.10	FL/SOP/LCMS/P-02
35	Carbosulphan	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
36	Cartap Hydrochloride	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02

BLQ=Below Limit of Quantification; LOQ=Limit of Quantification; NMT=Not More Than

Reviewed By

Page 2 of 9


Authorised Signatory
D Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertain only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227. The Sample is not drawn by FARELABS.

#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to:



J.O. No.: FL/FA/15072023-066
ULR Code: TC5503 23 0 00041603 F
Report Date: 20/07/2023
Sample Receipt Date: 15/07/2023
Account Manager: BD Team 1
Credit Manager: Gulab/Septesh

Customer Provided Information:

Nature/Name of the Sample
Brand Name, if any
Batch No.

: Apples
: None
: None

Laboratory Provided Information:

Sample Quantity
Date of Performance of Test
Method of Sampling
Sample Picked by

: 1X890g, Polypack
: 15th - 20th July, 2023
: FL/SOP/B/D-03
: Mr. Saurabh (FARE Labs Representative)



Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:				
37	Chlorantraniliprole	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
38	Chlordane	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
39	Chlorfenapyr	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
40	Chlorfenvinphos	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
41	Chlormequat	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
42	Chlorothalonil	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
43	Chlorpyrifos	BLQ, [LOQ-0.01]	NMT 0.5	FL/SOP/GCMS/P-02
44	Chlorpyrifos methyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
45	Clothianidin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
46	Copper oxychloride as copper	BLQ, [LOQ-0.01]	NMT 30	FL/SOP/ICPMS/P-02
47	Cyantraniliprole	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
48	Cyazofamid	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
49	Cyfluthrin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
50	Cymoxanil	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
51	Cypermethrin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
52	Delta-HCH	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
53	Deltamethrin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
54	Diafenthiuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02

BLQ=Below Limit of Quantification; **LOQ**=Limit of Quantification; **NMT**=Not More Than

Reviewed By

Page 3 of 9


Authorised Signatory
D Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertain only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227. The Sample is not drawn by FARELABS.

#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to:



J.O. No.: FL/FA/15072023-066
ULR Code: TC5503 23 0 00041603 F
Report Date: 20/07/2023
Sample Receipt Date: 15/07/2023
Account Manager: BD Team 1
Credit Manager: Gulab/Septesh

Customer Provided Information:

Nature/Name of the Sample
Brand Name, if any
Batch No.

: Apples
: None
: None

Laboratory Provided Information:

Sample Quantity
Date of Performance of Test
Method of Sampling
Sample Picked by

: 1X890g, Polypack
: 15th – 20th July, 2023
: FL/SOP/B/D-03
: Mr. Saurabh (FARE Labs Representative)



Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:				
55	Diazinon	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
56	Dichlorvos	BLQ, [LOQ-0.01]	NMT 0.1	FL/SOP/GCMS/P-02
57	Dicofol	BLQ, [LOQ-0.01]	NMT 5	FL/SOP/GCMS/P-02
58	Dieldrin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
59	Difenoconazole	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
60	Diiflubenzuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
61	Dimethoate	BLQ, [LOQ-0.01]	NMT 2	FL/SOP/LCMS/P-02
62	Dimethomorph	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
63	Dinocap	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
64	Dithianon	BLQ, [LOQ-0.01]	0.1	FL/SOP/LCMS/P-02
65	Dithiocabamates as CS2	BLQ, [LOQ-0.03]	NMT 0.01	FL/SOP/LCMS/P-18
66	Diuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
67	Dodine	BLQ, [LOQ-0.01]	NMT 5	FL/SOP/LCMS/P-02
68	Edifenphos	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
69	Endosulphan Sulphate	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
70	Endrin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
71	Ethephon	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
72	Ethion	BLQ, [LOQ-0.01]	NMT 2	FL/SOP/GCMS/P-02

BLQ=Below Limit of Quantification; **LOQ**=Limit of Quantification; **NMT**=Not More Than

Reviewed By

Page 4 of 9


Authorised Signatory
D Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertain only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227. The Sample is not drawn by FARELABS.

#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to:



J.O. No.: FL/FA/15072023-066
ULR Code: TC5503 23 0 00041603 F
Report Date: 20/07/2023
Sample Receipt Date: 15/07/2023
Account Manager: BD Team 1
Credit Manager: Gulab/Septesh

Customer Provided Information:

Nature/Name of the Sample
Brand Name, if any
Batch No.

: Apples
: None
: None

Laboratory Provided Information:

Sample Quantity
Date of Performance of Test
Method of Sampling
Sample Picked by

: 1X890g, Polypack
: 15th - 20th July, 2023
: FL/SOP/B/D-03
: Mr. Saurabh (FARE Labs Representative)



TC-5503

Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:				
73	Ethofenprox	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
74	Etrifluthrin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
75	Famoxadone	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
76	Fenamidone	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
77	Fenarimol	BLQ, [LOQ-0.01]	NMT 5	FL/SOP/LCMS/P-02
78	Fenazaquin	BLQ, [LOQ-0.01]	NMT 0.2	FL/SOP/LCMS/P-02
79	Fenitrothion	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
80	Fenobucarb	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
81	Fenpropathrin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
82	Fenpyroximate	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
83	Fenthion	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
84	Fenvalerate	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
85	Fipronil	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
86	Flubendiamide	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
87	Flusilazole	BLQ, [LOQ-0.01]	NMT 0.05	FL/SOP/LCMS/P-02
88	Flufenacet	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
89	Flufenoxuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
90	Glyphosate	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02

BLQ=Below Limit of Quantification; **LOQ**=Limit of Quantification; **NMT**=Not More Than

Reviewed By

Page 5 of 9

Authorised Signatory
D Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertain only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227. The Sample is not drawn by FARELABS.

#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to:



J.O. No.: FL/FA/15072023-066
ULR Code: TC5503 23 0 00041603 F
Report Date: 20/07/2023
Sample Receipt Date: 15/07/2023
Account Manager: BD Team 1
Credit Manager: Gulab/Septesh

Customer Provided Information:

Nature/Name of the Sample
Brand Name, if any
Batch No.

: Apples
: None
: None

Laboratory Provided Information:

Sample Quantity
Date of Performance of Test
Method of Sampling
Sample Picked by

: 1X890g, Polypack
: 15th - 20th July, 2023
: FL/SOP/B/D-03
: Mr. Saurabh (FARE Labs Representative)



Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:				
91	Heptachlor	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
92	Hexaconazole	BLQ, [LOQ-0.01]	NMT 0.1	FL/SOP/LCMS/P-02
93	Imidacloprid	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
94	Indoxacarb	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
95	Iprobenphos	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
96	Iprodione	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
97	Iprovalicarb	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
98	Isoprothiolane	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
99	Lambda-cyhalothrin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
100	Lindane	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
101	Linuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
102	Lufenuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
103	Malathion	BLQ, [LOQ-0.01]	NMT 4	FL/SOP/GCMS/P-02
104	Mandipropamid	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
105	Mepiquat	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
106	Metalaxyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
107	Methomyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
108	Methyl Bromide as Bromide	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/Pest-06

BLQ=Below Limit of Quantification; **LOQ**=Limit of Quantification; **NMT**=Not More Than

Reviewed By

Page 6 of 9


Authorized Signatory
D. Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertain only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227. The Sample is not drawn by FARELABS.

#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to:



J.O. No.: FL/FA/15072023-066
ULR Code: TC5503 23 0 00041603 F
Report Date: 20/07/2023
Sample Receipt Date: 15/07/2023
Account Manager: BD Team 1
Credit Manager: Gulab/Septesh

Customer Provided Information:

Nature/Name of the Sample
Brand Name, if any
Batch No.

: Apples
: None
: None

Laboratory Provided Information:

Sample Quantity
Date of Performance of Test
Method of Sampling
Sample Picked by

: 1X890g, Polypack
: 15th - 20th July, 2023
: FL/SOP/B/D-03
: Mr. Saurabh (FARE Labs Representative)



Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:				
109	Metribuzin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
110	Glufosinate ammonium	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
111	Methamidophos	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
112	Metolachlor	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
113	Monocrotophos	BLQ, [LOQ-0.01]	NMT 1	FL/SOP/LCMS/P-02
114	Myclobutanil	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
115	Novaluron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
116	Omethoate	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
117	Oxadiazon	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
118	Oxycarboxin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
119	Oxydemeton Methyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
120	Oxyfluorfen	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
121	Paclbutrazol	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
122	Paraquat Dichloride	BLQ, [LOQ-0.01]	NMT 0.05	FL/SOP/LCMS/P-02
123	Parathion Ethyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
124	Parathion Methyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
125	Penconazole	BLQ, [LOQ-0.01]	NMT 0.1	FL/SOP/LCMS/P-02
126	Pencycuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02

BLQ=Below Limit of Quantification; **LOQ**=Limit of Quantification; **NMT**=Not More Than

Reviewed By

Page 7 of 9


Authorised Signatory
D Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertain only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227. The Sample is not drawn by FARE Labs.

#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to:



J.O. No.: FL/FA/15072023-066
ULR Code: TC5503 23 0 00041603 F
Report Date: 20/07/2023
Sample Receipt Date: 15/07/2023
Account Manager: BD Team 1
Credit Manager: Gulab/Septesh

Customer Provided Information:

Nature/Name of the Sample
Brand Name, if any
Batch No.

: Apples
: None
: None

Laboratory Provided Information:

Sample Quantity
Date of Performance of Test
Method of Sampling
Sample Picked by

: 1X890g, Polypack
: 15th - 20th July, 2023
: FL/SOP/B/D-03
: Mr. Saurabh (FARE Labs Representative)



TC-5503

Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:				
127	Permethrin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
128	Phenthoate	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
129	Phorate	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
130	Phosalone	BLQ, [LOQ-0.01]	NMT 0.05	FL/SOP/GCMS/P-02
131	Phosphamidon Residues	BLQ, [LOQ-0.01]	NMT 2.0	FL/SOP/LCMS/P-02
132	Pirimiphos-methyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
133	Profenophos	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
134	Propargite	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
135	Propiconazole	BLQ, [LOQ-0.01]	NMT 3	FL/SOP/LCMS/P-02
136	Propoxur	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
137	Pyriproxyfen	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
138	Pyraclostrobin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
139	Quinalphos	BLQ, [LOQ-0.01]	NMT 0.5	FL/SOP/GCMS/P-02
140	Simazine	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
141	Spinosad	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
142	Spiromesifen	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
143	Tau-Fluvalinate	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
144	Tebuconazole	BLQ, [LOQ-0.01]	NMT 1	FL/SOP/LCMS/P-02

BLQ=Below Limit of Quantification; **LOQ**=Limit of Quantification; **NMT**=Not More Than

Reviewed By

Page 8 of 9


Authorised Signatory
D Mathan, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227. The Sample is not drawn by FARELABS.

#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to:



J.O. No.: FL/FA/15072023-066
ULR Code: TC5503 23 0 00041603 F
Report Date: 20/07/2023
Sample Receipt Date: 15/07/2023
Account Manager: BD Team 1
Credit Manager: Gulab/Septesh

Customer Provided Information:

Nature/Name of the Sample
Brand Name, if any
Batch No.

: Apples
: None
: None

Laboratory Provided Information:

Sample Quantity
Date of Performance of Test
Method of Sampling
Sample Picked by

: 1X890g, Polypack
: 15th - 20th July, 2023
: FL/SOP/B/D-03
: Mr. Saurabh (FARE Labs Representative)



Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:				
145	Temephos	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
146	Thiacloprid	BLQ, [LOQ-0.01]	NMT 0.7	FL/SOP/LCMS/P-02
147	Thiamethoxam	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
148	Thiobencarb	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
149	Thiodicarb	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
150	Thiometon	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
151	Thiophenate-methyl	BLQ, [LOQ-0.01]	NMT 0.5	FL/SOP/LCMS/P-02
152	Triadimefon	BLQ, [LOQ-0.01]	NMT 5	FL/SOP/LCMS/P-02
153	Triazophos	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
154	Trichlorfon	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
155	Tricyclazole	BLQ, [LOQ-0.01]	NMT 0.1	FL/SOP/LCMS/P-02
156	Tridemorph	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
157	Trifloxystrobin	BLQ, [LOQ-0.01]	NMT 0.7	FL/SOP/LCMS/P-02
158	Trifluralin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02

BLQ=Below Limit of Quantification; **LOQ**=Limit of Quantification; **NMT**=Not More Than

Reviewed By

Page 9 of 9

Authorised Signatory
D Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertain only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227. The Sample is not drawn by FARE Labs.
#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

****End of Report****

